




THE 307 SSX IS EXPERTLY DETAILED AND BUILT TO PERFORM.

## **KEY FEATURES**

- α ENCLOSED FIBERGLASS HEAD WITH VACUFLUSH AND OPENING PORTLIGHT
- α COCKPIT DRAINAGE SYSTEM (CDS) WITH SELF BAILING FIBERGLASS LINER
- α CUSTOM HAND WRAPPED HELM CONSOLES WITH STAINLESS STEEL ACCENTS
- α CUSTOM MOLDED INTERIOR WITH VINYL WRAPPED FIBERGLASS SIDE PANELS
- α JUMP START SYSTEM
- α PREMIUM EXPANDED COCKPIT VINYL WITH "NANO-BLOCK TECHNOLOGY"
- α EXTENDED V-PLANE HULL
- α REAR "SUN LOUNGE" SEATING - CONVERTS FROM FULL BENCH SEAT TO SUN PAD
- α DUAL FUEL FILLS
- α INTEGRATED EXTENDED SWIM PLATFORM



## **TECHNICAL DATA**

LOA with Swim Platform	30'6"	9.30 m
Beam	9' 6"	2.90 m
Approximate Dry Weight (Single Engine)	8400 lbs	3810 kg
Approximate Dry Weight (Twin Engine)	9100 lbs	4128 kg
Deadrise	22.5 Degrees	
Fuel Capacity	105 Gallons	397 L
Water Capacity	13.5 Gallons	51 L
Holding Capacity	3.8 Gallons	14 L
Holding Capacity with VacuFlush	6.5 Gallons	25 L
Maximum HP	525 HP	391 kW
Bridge Clearance w/Arch Tower	8' 2"	2.49 m
Bridge Clearance No Tower	5' 5"	1.65 m
Draft-Down	39"	99 cm
Draft-Up	26"	66 cm
Passenger Capacity	Yacht Certified	

***AVAILABLE ENGINE PACKAGES (MERC)***

<u>ENGINE</u>	<u>LITRE</u>	<u>MODEL</u>	<u>DRIVE</u>	<u>HP</u>	<u>KW</u>
MERCURY	8.2	MAG (C)	BRAVO 3X	380	283
MERCURY	8.2	MAG DTS (C)	BRAVO 3X	380	283
MERCURY	8.2	MAG DTS SEACORE (C)	BRAVO 3X	380	283
MERCURY	8.2	HO MAG (C)	BRAVO 3X	430	321
MERCURY	8.2	HO MAG DTS (C)	BRAVO 3X	430	321
MERCURY	8.2	HO MAG DTS SEACORE (C)	BRAVO 3X	430	321
(T) MERC	4.5	MPI DTS(C)	BRAVO 3	250	186
(T) MERC	5.7	MAG (C)	BRAVO 3	300	224
(T) MERC	5.7	MAG DTS (C)	BRAVO 3	300	224
(T) MERC	5.7	MAG DTS SEACORE (C)	BRAVO 3	300	224
(T) MERC	5.7	MAG DTS AXIUS (C)	BRAVO 3	300	224
(T) MERC	5.7	MPI DTS SC AXIUS (C)	BRAVO 3	300	224
(T) MERC	8.2	MAG (C)	BRAVO 3X	380	283
(T) MERC	8.2	MAG DTS (C)	BRAVO 3X	380	283
(T) MERC	8.2	MAG DTS SEACORE (C)	BRAVO 3X	380	283
(T) MERC	8.2	MAG DTS AXIUS (C)	BRAVO 3X	380	283
(T) MERC	8.2	MAG DTS SC AXIUS (C)	BRAVO 3X	380	283

***AVAILABLE ENGINE PACKAGES (VOLVO)***

<b>ENGINE</b>	<b>LITRE</b>	<b>MODEL</b>	<b>DRIVE</b>	<b>HP</b>	<b>KW</b>
VOLVO	V8	V8-380 (C)	DP	380	283
VOLVO	V8	V8-380 EVC (C)	DP	380	283
VOLVO	V8	V8-380 EVC OCEAN X (C)	DP	380	283
VOLVO	V8	V8-430 EVC (C)	DP	430	321
VOLVO	V8	V8-430 EVC OCEANX (C)	DP	430	321
(T) VOLVO	V8	V8-300 (C)	DP	300	224
(T) VOLVO	V8	V8-300 EVC (C)	DP	300	224
(T) VOLVO	V8	V8-300 EVC JOYSTICK (C)	DP	300	224
(T) VOLVO	V8	V8-300 EVC OCEAN X (C)	DP	300	224
(T) VOLVO	V8	V8-300 EVC OX JOYSTICK (C)	DP	300	224
(T) VOLVO	V8	V8-380 (C)	DP	380	283
(T) VOLVO	V8	V8-380 EVC (C)	DP	380	283
(T) VOLVO	V8	V8-380 EVC JOYSTICK (C)	DP	380	283
(T) VOLVO	V8	V8-380 EVC OX JOYSTICK (C)	DP	380	283

**PERFORMANCE DATA**

<u>ENGINE PACKAGE</u>	<u>HP</u>	<u>PLANE TIME (SEC)</u>	<u>OPTIMUM EFFICIENCY</u>			<u>SPEED @ WOT</u>
			<u>RPM</u>	<u>SPEED (MPH)</u>	<u>FUEL BURN</u>	
MERC 8.2L MAG B3X	380	5.3	3500	31.7	15.0	48.5
(T) MERC 5.0L MPI B3X	260	4.5	TBD	TBD	TBD	48.4
(T) VOLVO V8-300 DP	300	4.6	3500	36.1	20.0	53.2

*Performance and fuel flows may vary widely due to boat weight, load, atmospheric conditions, engine conditions, weight distribution, sea conditions, propeller(s), boat bottom conditions, trim angle and operator technique. Noncatalyzed engine performance numbers are the same as catalyzed engines listed. (T)=Twin (C)=Catalyst*