



This boat has a classic look with superior handling and performance.

KEY FEATURES

- **ADJUSTABLE SWIVEL/SLIDE HELM SEATS**
- **ANCHOR AND ROPE LOCKER**
- **BATTERY ON/OFF SWITCH**
- **EXECUTE BREAKER PROTECTION**
- **Z** CUSTOM VINYL WRAPPED DASH
- **Z** CUSTOM GUNNEL STORAGE
- **DEEP FREEBOARD**
- $mathright{\mathbb{R}}$ Full Complement of Color Selections Standard
- **¤** Fully Integrated Swim Platform
- **¤** Gauges: Glass Lens, Stainless Steel Bezels, Lighted Pointer
- **Powder Coated Trailer in Standard Price**
- **X** STAINLESS STEEL RUBRAIL
- **STORAGE IN HELM CONSOLE**
- **SUNPAD WITH PORT AND STARBOARD CONVERTIBLE CHAISE**





TECHNICAL DATA

LOA with Swim Platform	21'0"	6.40 m			
Beam	8' 4"	2.54 m			
Approximate Dry Weight	3100 lbs	1406 kg			
(With Lightest Engine & No Options)					
Deadrise	20 Degrees				
Fuel Capacity	40 Gallons	151 L			
Maximum HP	260 HP	194 kW			
Bridge Clearance w/ Tower Up	7' 4"	2.24 m			
Bridge Clearance w/ Tower Dn	5' 10"	1.78 m			
Bridge Clearance No Tower	4' 7"	1.40 m			
Draft-Down	32"	81 cm			
Draft-Up	15"	38 cm			
Passenger Capacity	10 Persons/1,400 lbs				



AVAILABLE ENGINE PACKAGES

ENGINE	<u>LITRE</u>	MODEL	DRIVE	<u>HP</u>	<u>KW</u>
MERCURY	4.3	MPI	ALPHA	220	164
MERCURY	4.3	MPI (C)	ALPHA	220	164
MERCURY	5.0	MPI (C)	ALPHA	260	194

PERFORMANCE DATA			<u>OPTIM</u>	<u>IUM EFFIC</u>	<u>CIENCY</u>	
I EM CMMANCE DATA		<u>PLANE</u>			<u>FUEL</u>	
		<u>TIME</u>		SPEED	BURN	<u>SPEED</u>
ENGINE PACKAGE	<u>HP</u>	(SEC)	<u>RPM</u>	<u>(MPH)</u>	<u>(GPH)</u>	<u>@ WOT</u>
MERC 4.3L MPI ALPHA	220	3.4	3000	29.3	6.9	47.6
MERC 5.0L MPI ALPHA	260	3.6	3000	29.0	6.6	52.7

Performance and fuel flows may vary widely due to boat weight, load, atmospheric conditions, engine conditions, weight distribution, sea conditions, propeller(s), boat bottom conditions, trim angle and operator technique. Noncatalyzed engine performance numbers are the same as catalyzed engines listed. (T)=Twin (C)=Catalyst